14:43

**P**04

ATTORNEY DOCKET NO. DB001016-001 (CREA01-00023)

U.S. SERIAI. NO. 10/619,131

PATENT

## **AMENDMENTS TO THE CLAIMS**

- (Previously Presented) A wale for use in bracing a retaining wall, said wale comprising:
   a back wall;
  - a front wall having a channel formed therein; and
- a plurality of connecting walls connecting said back and front walls to form at least one chamber between said back wall and said front wall;

and wherein said channel has a depth sufficient such that when said wale is secured to said retaining wall by a tieback rod passing through said wale and a fastener, said tieback rod and said fastener do not protrude from the channel.

- 2. (Original) The wale of claim 1 wherein said wale is of a unitary construction and said plurality of connecting walls includes a top wall and a bottom wall, and wherein a single chamber is formed between said back wall and said front wall.
- 3. (Original) The wale of claim 1 wherein said wale is of a unitary construction and said plurality of connecting walls includes a top wall, an upper reinforcing wall, a lower reinforcing wall, and a bottom wall, and wherein a plurality of chambers are formed between said back wall and said front wall.

## Page 2 of 15

01/03/05

ATTORNEY DOCKET NO. DB001016-001 (CREA01-00023)
U.S. SERIAL NO. 10/619,131
PATENT

- 4. (Original) The wale of claim 1 wherein said wale further comprises a pultruded composite material.
- 5. (Original) The wale of claim 4 wherein said composite material is fiberglass reinforced plastic resin impregnated composite.
- 6. (Previously Presented) A retaining wall wale, comprising:
  - a back wall
- a front wall having a top portion and a bottom portion interconnected by a C-shaped channel portion;
  - a top wall connecting said back wall to said top portion; and
- a bottom wall connecting said back wall to said bottom portion to form a chamber between said back wall and said front wall;

and wherein said channel portion has a depth sufficient such that when said wale is secured to a retaining wall by a tieback rod passing through the said wale and a fastener, said tieback rod and said fastener do not protrude from the channel portion.

7. (Original) The wale of claim 6 further comprising:

ATTORNEY DOCKET NO. DB001016-001 (CREA01-00023)
U.S. SERIAL NO. 10/619,131

an upper reinforcing wall and a lower reinforcing wall each connecting said back wall to at least one of said top portion, said C-shaped channel portion, and said bottom portion such that a plurality of chambers are formed between said back wall and said front wall.

## 8. - 27. (Canceled)

- 28. (Currently Amended) A wale for use in bracing a retaining wall, said wale comprising:
- a back wall having a first opening therein and operable for receiving a tieback rod therethrough;
- a front wall having a channel formed therein and having a second opening therein and operable for receiving the tieback rod therethrough;
- a plurality of connecting walls connecting said back and front walls to form at least one chamber between said back wall and said front wall; and wherein said wale is of a unitary construction.
- 29. (Previously Presented) The wale of Claim 28 wherein said channel has a depth sufficient such that when said wale is secured to a retaining wall by a tieback rod and a fastener, said tieback rod and said fastener do not protrude from the channel.

007

ATTORNEY DOCKET NO. DB001016-001 (CREA01-00023)
U.S. SERIAL NO. 10/619,131
PATENT

- 30. (Currently Amended) The wale of claim 28 wherein said wale is of a unitary construction and said plurality of connecting walls includes a top wall, an upper reinforcing wall, a lower reinforcing wall, and a bottom wall, and wherein a plurality of chambers are formed between said back wall and said front wall.
- 31. (Previously Presented) The wale of claim 28 wherein said wale further comprises a pultruded composite material.
- 32. (Previously Presented) The wale of claim 31 wherein said composite material is fiberglass reinforced plastic resin impregnated composite.
- 33. (New) The wale of claim 1 wherein said back wall and said channel each comprise an opening therein and operable for receiving said tieback rod therethrough.
- 34. (New) The wale of claim 6 wherein said back wall and said C-shaped channel portion each comprise an opening therein operable for receiving said tieback rod therethrough.